LIST OF CONTENTS

NUMBER 1

Hiroshi Tanaka and Hiromichi Harada	1	^{13}C-NMR spectra of isotactic polypropylene film during stretching and shrinkage
Huceste H. Çatalgil and Bahattin M. Baysal	7	Free radical polymerization of ethyl methacrylate: a kinetic investigation
José Luis Acosta, Consuelo R. Herrero and Enrique Morales	11	The effect of sepiolite on isothermal crystallization of semicrystalline blends based on poly(vinylidene fluoride)
A. S. Brar and Sunita	17	Determination by ^{13}C-NMR spectroscopy of the microstructure of copolymers of acrylic acid with vinyl acetate
Malcolm B. Huglin and Jose M. Rego	21	Free rotation dimensions of linear polyesters and polyamides
W. James Feast and Lamies A. Shahada	27	Synthesis and ring-opening polymerization of some aryl substituted polycyclic alkenes
Chien-Hui Li and Teh-Chou Chang	35	Studies on thermotropic liquid crystalline polymers—part II. Synthesis and properties of poly(azomethine-ether)
P. Uznanski, M. Kryszewski and E. W. Thulstrup	41	Linear dichroism and *trans*→*cis* photo-isomerization studies of azobenzene molecules in oriented polyethylene matrix
Vincenzo Venditto, Gaetano Guerra, Paolo Corradini and Roberto Fusco	45	Mechanism of monomer insertion for heterogeneous isospecific Ziegler–Natta catalytic models
F. Thominette, G. Metzger, B. Dalle and J. Verdu	55	Radiochemical ageing of poly(vinyl chloride) plasticized by didecylphthalate
D. V. Subotic, J. Ferguson and B. C. H. Warren	61	Turbidimetric study of the influence of Cu^{2+} on the kinetics of complexation of poly(acrylic acid) with polyvinylpyrrolidone
D. V. Subotic, J. Ferguson and B. C. H. Warren	65	Fluorescence study of the influence of Cu^{2+} ions on the kinetics of complexation of poly(acrylic acid) with polyvinylpyrrolidone
H.-J. Timpe, K.-P. Kronfeld and R. Mahlow	69	Light-induced polymer and polymerization reactions—41. Mixtures of sulphonated aromatic ketones with aryliodonium salts—new water soluble photoinitiators
H.-J. Timpe and A. G. Rajendran	77	Light-induced polymer and polymerization reactions—42. A kinetic study of cationic photopolymerization with (benzoin derivative)/(onium salt) systems
S. Polizzi, G. Fagherazzi, A. Benedetti, M. Battagliarin and T. Asano	85	Crystallinity of polymers by X-ray diffraction: a new fitting approach
Hasmukh S. Patel and Gopal H. Majmudar	89	Synthesis and characterization of poly[(1,7-diaryl-aza-1,3,5-heptatriene-3-ol)hydrochloride]s
Hasmukh S. Patel and Hemant S. Vyas	93	Poly(urethane-imide)s—1
I. N. Topchieva, N. V. Efremova and S. V. Osipova	97	Reactivity of poly(ethylene oxide) derivatives with various placements of functional groups in the polymer chain

Short Communications

Ismail Cakmak, Baki Hazer and Yusuf Yagci — 101 Polymerization of acrylamide by the redox system cerium(IV) with poly(ethylene glycol) with azo groups

Fernanda M. B. Coutinho and Ariosvaldo A. Barbosa Sobrinho — 105 Thermal and mechanical properties of some caprolactam–poly(propylene oxide) block copolymers

Announcement — i

NUMBER 2

Richard J. Spontak, Jon Samseth and S. Eilidh Bedford — 109 Structure in cast films of poly(siloxane-imide) copolymers

Jean Bouzon and J. M. Vergnaud — 115 Modelling of the process of desorption of liquid by polymer beads, by considering diffusion and shrinkage

Young Ok Bae, Chang Sik Ha and Won Jei Cho — 121 Synthesis and properties of acrylonitrile–EPDM–methyl methacrylate graft copolymer

P. J. Hendra, C. Passingham and S. A. Jones — 127 The effect of cold treatment on the β-relaxation of low density polyethylene

W. Marconi, A. Martinelli, A. Piozzi and D. Zane — 135 Direct synthesis of carboxylated polyurethanes

A. Ait Ben Aoumar, F. Schué, J. Sledz, G. Clarotti, M. Zinoune, A. El Harfi, A. Orsetti et G. Paleirac — 141 Optimisation des propriétés hydrodynamiques des membranes à base de polyhydroxybutyrate

A. Ait Ben Aoumar, F. Schué, J. Sledz, G. Clarotti, M. Zinoune, A. El Harfi, A. Orsetti et G. Paleirac — 145 Synthése et caracterisation de membranes d'ultrafiltration à base de polymères bacteriens

A. Arfaei, K. Pye and S. Smith — 149 Living free-radical copolymers of perfluoro-2,5-diazahexane 2,5-dioxyl and hexafluoropropylene

K. Pye and S. Smith — 155 The conversion of perfluoronitrosoalkanes to perfluoronitroalkanes and perfluoroazoalkanes catalysed by a living free-radical copolymer

Bernard Boutevin, Jean-Pierre Parisi et Philippe Vaneeckhoutte — 159 Cinétique de cotélomérisation—partie II. Evolution du $\overline{DP}_n$ en cotélomérisation: $\overline{DP}_{n\ \text{cumulé}}$. Utilisation de la relation de Lewis et Mayo

A. F. Miles and J. M. G. Cowie — 165 Preparation and characterization of (monomethyl itaconate)–(methyl methacrylate) and of (itaconic anhydride)–(methyl methacrylate) copolymers

Derek R. Illsley, Roy S. Lehrle and Adrian Shortland — 171 Polymerization of dec-1-ene—I. Basic free radical mechanisms from kinetic studies

Derek R. Illsley and Roy S. Lehrle — 177 Polymerization of dec-1-ene—II. Product analysis shows that the free radical process is an oligomerization, and reveals mechanistic details

Derek R. Illsley and Roy S. Lehrle — 185 Polymerization of dec-1-ene—III. Detailed kinetic analysis of total product formation provides reactivities and kinetic parameters for the free radical oligomerization

Tsvetanka Petrova, Iliya Rashkov, Vladimir Baranovsky and Georgy Borisov 189 Nonspecific interactions in polymer–polymer reactions—1. Complex formation between polycarboxylic acids and 5-nitro-8-quinolinoxyl derivatives of polyethylene glycols

Denis Couvret, Jean-Claude Brosse, Sammy Chevalier and Jean-Pierre Senet 193 New functionalization method for radiation curable polyurethanes containing pendant acrylate groups

John A. Mikroyannidis 199 Heat resistant matrix resins based on addition-type bisimidobenzimidazoles

V. M. Cheshkov, M. M. Natova, N. R. Ashurov, M. M. Usmanova and A. M. Veksel'man 205 Polymerization filling of polycaprolactam

A. B. Moustafa, M. M. H. Ayoub, A. A. Abd El-Hakim and A. S. Badran 209 New aspects of the aqueous polymerization of methyl methacrylate in the presence of some iron salts and complexes

F. M. B. Coutinho and M. C. G. Rocha 213 Kinetic study of the reactions between hydroxylated polybutadiene and isocyanates in chlorobenzene—IV. Reactions with tolylene diisocyanate, 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate and hexamethylene diisocyanate

NUMBER 3

M. Hassanein 217 Preparation of poly(vinyl benzyltriphenylphosphonium dichromate) and its application as an oxidizing agent

J. V. Aleman 221 Bulk and surface compression flows of polymer melts

Y. Shahab, A. Mohamed, A. Khettab and A. Siddiq 227 The mechanism of copolymerization of styrene–maleic anhydride as deduced from the behaviour of the system towards chain-transferring to carbon tetrachloride

P. G. Demertzis, K. A. Riganakos and K. Akrida-Demertzi 231 Gas chromatographic studies on polymer–plasticizer compatibility: interactions between food-grade PVC and epoxidized soybean oil

Giancarlo Galli, Emo Chiellini, Michele Laus and Annino S. Angeloni 237 Structural effects on the mesomorphic behaviour of thermotropic liquid crystal poly(ester β-sulphide)s

Constantinos Tsitsilianis, Sabine Graff and Paul Rempp 243 Hetero-arm star copolymers with potentially ionogenic branches

Jeremy Lane and Brian J. Tabner 247 A spin-trap study of the benzoyl peroxide initiated radical copolymerization of styrene and vinyl acetate

J. V. Prasad, P. V. C. Rao and V. N. Garg 251 Quantification of branching in polyethylene by ^{13}C-NMR using paramagnetic relaxation agents

T. Narasimhaswamy, S. C. Sumathi and B. S. R. Reddy 255 4-Acetylphenyl acrylate–glycidyl methacrylate copolymers: synthesis, characterization and reactivity ratios

Zhen Tong and Yoshiyuki Einaga 263 Concentration dependence of interaction function χ for binary systems of polymer in a good solvent determined by light scattering

Contents

H. Chaumeil et H. Handel 269 Nouvelles résines échangeuses d'ions chélatantes contenant des ligands tétraazamacrocycliques

Ioanna Molinou, Maria Palaiologou, Fotini Viras and Kyriakos Viras 277 Solution properties of polystyrene in mixtures of toluene with ethyl acetate

C. F. Cullis, M. M. Hirschler and Q. M. Tao 281 Studies of the effects of phosphorus–nitrogen–bromine systems on the combustion of some thermoplastic polymers

S. Radhakrishnan, D. R. Saini and M. V. Kuber 291 Effect of morphology on the dielectric properties of a segmented copolyester

D. Eagland and N. J. Crowther 299 Influence of composition and segment distribution upon lower critical demixing of aqueous poly(vinyl alcohol-*stat*-vinyl acetate) solutions

K. Hummel, E. Hubmann, M. Dösinger and T. Pongratz 303 Direct evidence of crosslinks in a butadiene–dimethyldivinylsilane copolymer by metathesis degradation

Eugène Loubaki, Michèle Ourevitch and Sames Sicsic 311 Chemical modification of chitosan by glycidyl trimethylammonium chloride. Characterization of modified chitosan by ^{13}C- and ^{1}H-NMR spectroscopy

V. N. Tsvetkov, L. N. Andreeva, A. P. Filippov, E. V. Belyaeva, A. Ju. Bilibin and A. R. Stepanova 319 Dynamo-optical and electro-optical properties of solutions of diphenyl-substituted poly-*p*-phenyleneterephthalate in polar and nonpolar solvents

Masaru Yoshida, Masaharu Asano, Minoru Kumakura, Ryoichi Katakai, Tooru Mashimo, Hisako Yuasa and Hidetoshi Yamanaka 325 Sequential polydepsipeptides containing tripeptide sequences and α-hydroxy acids as biodegradable carriers

P. Oueslati et B. Catoire 331 Ozonisation et modifications morphologiques et physicochimiques de fibres de polypropylène

NUMBER 4/5

Editorial I

Review

Ph. Potin and R. De Jaeger 341 Polyphosphazenes: synthesis, structures, properties, applications

General Papers

Byung Kyu Kim, Sang Yun Park and Sang Jin Park 349 Morphological, thermal and rheological properties of blends: polyethylene/nylon-6, polyethylene/nylon-6/(maleic anhydride-g-polyethylene) and (maleic anhydride-g-polyethylene)/nylon-6

Danuta Żuchowska and Drahomíra Hlavatá 355 Some physical properties of polypropylene–phenolic microsphere blends

Jacek Magryta 359 Model with fillers distributions for describing mechanical properties of vulcanizates

Manit Rappon, Amarin Chuenarm, Ajit J. Duggal, Harpreet Gill, Orapin Bhaovibul and Raymond T. Syvitski 365 Photo-induced reaction of dye in polymer media—I. Unannealed polymer matrices

Michel Delmotte, Henri Jullien and Michel Ollivon 371 Variations of the dielectric properties of epoxy resins during microwave curing

Ryszard Mieczkowski 377 Solubility parameter components of some polyols

P. Manaresi, F. Pilati, M. Toselli, A. Munari, M. Guaita and O. Chiantore 381 A general intrinsic viscosity–molecular weight relationship for linear polydisperse polymers—2. Applicability to the evaluation of molecular weights

M. Guaita, O. Chiantore, A. Munari, P. Manaresi, F. Pilati and M. Toselli 385 A general intrinsic viscosity–molecular weight relationship for linear polydisperse polymers—3. Applicability to the evaluation of the Mark–Houwink–Sakurada K and a constants

M. Camps, J. P. Monthéard et F. Benrokia 389 Bromation hétérolytique du polystyrène en phase homogène—II. Etude cinétique de la bromation catalyseé par $SnCl_4$, $SbCl_5$ et $TiCl_4$

Naoto Tsutsumi, Tsuyoshi Nakamura and Tsuyoshi Kiyotsukuri 397 Electro-polymerization of phenols

C. Decker et K. Moussa 403 Photopolymérisation de monoméres multifonctionnels—IV. Acrylates a structure carbamate ou oxazolidone

Mustafa Erdoğan, Talat Yalçin, Teoman Tinçer and Şefik Süzer 413 Evolved gas analysis of pyrolysis products from some rubbers by mass spectrometry

J. R. Allan, G. H. W. Milburn, F. Richmond, D. L. Gerrard, J. Birnie and A. S. Wilson 419 The cobalt(II), nickel(II), copper(II) complexes of triethylenediamine, 4-(butylamino)benzoic acid and triethylamine and a study of their performance as colouring materials for poly(vinyl chloride)

Neil A. Weir, J. Arct and Kenneth Whiting 423 Photoreactions of poly(p-propionylstyrene) in solution

H.-J. Timpe, E. Küstermann and H. Böttcher 429 Light-induced polymer and polymerization reactions—46. Dye pigments as heterogeneous sensitizers for the photopolymerization of vinyl monomers

Ferenc Szőcs and Marta Klimová 433 Influence of pressure on a free radical decay in a rigid main chain thermotropic polymer

T. Nguyen and C. Wakselman 435 A new route to perfluorinated sulphonic acid resin intermediates

K. G. Chorbadjiev and P. Ch. Novakov 439 Study on the molecular weights of oligomers of α-cyanoacrylates formed by reaction of alkyl cyanoacetates with formaldehyde

M. L. Leza and G. M. Guzmán 445 Ceric salt initiated polymerization of 4-vinylpyridine

X. W. He and J. E. Herz 449 Chain extension of α,ω-dihydroxy polydimethylsiloxane: simulation of the linear polycondensation reaction

O. T. Gritsenko and A. E. Nesterov 455 Segmental adsorption energy and phase behaviour of filled polymer blends

NUMBER 6

M. M. Salunkhe, R. B. Mane and A. S. Kanade 461 Polymer-supported analogues of halogenosulphonamides preparation and applications in synthetic organic chemistry

Contents

A. Dutta, P. K. Mahato and N. N. Dass 465 Mechanism of polymerization of methyl methacrylate by triphenylphosphine and Fe(III) complex in dimethyl sulphoxide

Frank Heatley, Ga-Er Yu, Michael D. Draper and Colin Booth 471 Analysis of the ^{13}C-NMR spectra of poly(styrene oxide) and of block and statistical copolymers of styrene oxide and ethylene oxide

Nadya Belcheva, Ivan M. Panayotov and Christo Tsvetanov 479 The interaction of alkyl α-(S)-malates with *N,N′*-dicyclohexylcarbodiimide under mild conditions

J. Millán, G. Martínez and M. L. Jimeno 483 Nucleophilic substitution in PVC. Additional NMR proof of the conformational mechanism

Miroslav Marek Jr, Jiří Labský, Bohdan Schneider, Jan Štokr, Bohumil Bednář and Jaroslav Králíček 487 Preparation and properties of polypyromellitimides prepared from 1,n-bis(4-aminophenoxy)alkanes

Masaru Yoshida, Yasuhito Suzuki, Masao Tamada, Minoru Kumakura and Ryoichi Katakai 493 External stimulus-responsive poly(methacryloyldipeptides) having sequences of L-amino acyl-L-alanine ethyl esters as pendant groups

Y. F. Chong and S. H. Goh 501 Miscibility of poly(tetrahydropyranyl-2-methacrylate) and poly(cyclohexyl methacrylate) with styrenic polymers

V. F. Gromov, Yu. S. Bogachev, Ye. V. Bune, I. L. Zhuravleva and E. N. Teleshov 505 Radical polymerization of water-soluble monomers in various solvents

Ye. V. Bune, A. P. Sheinker, Yu. S. Bogachev, I. L. Zhuravleva and E. N. Teleshov 509 Radical polymerization of diethylaminoethyl methacrylate and its salts in various solvents

I. Goodman and D. A. Starmer 515 Copolyesteramides—VII. Segmented and random polymers containing bis-terephthalamate units

T. L. Simándi and A. Rockenbauer 523 Addition of radicals to quinones—IV. ESR study of some radical reactions of 2,6-di-t. butyl-1,4-benzoquinone

T. Atarhouch, A. Daro and C. David 527 Formation of polymeric pigments from syringaldehyde in the presence of bacteria. Comparison with chemical oxidative coupling

D. Derouet et J. C. Brosse 537 Modification chimique des polydiènes par les composés du type CX_3Z—V. Addition, catalysee par le dichlorure de *tris*(triphenylphosphine)ruthenium II, du tétrachlorure de carbone sur les molecules modeles du polybutadiène-1,2

František Rybnikář 549 Orientational memory in filled isotactic polypropylene

Bogdan C. Simionescu, Silvia Ioan, Maria Bercea and Cristofor I. Simionescu 553 Solution characterization of high molecular weight polyacrylonitrile obtained by plasma-induced polymerization

Nguyen Viet Bac, Marin Mihailov and Levon Terlemezyan 557 On the stability of natural rubber latex acidified by acetic acid and subsequent epoxidation by peracetic acid

NUMBER 7

Hiroshi Tanaka 565 ^{13}C Magnetic relaxation times in isotactic polypropylene

Contents

Frank Heatley, Ga-er Yu, Colin Booth and Trevor G. Blease	573	Determination of reactivity ratios for the anionic copolymerization of ethylene oxide and propylene oxide in bulk
L. R. Dix, J. R. Ebdon, N. J. Flint and P. Hodge	581	Synthesis of telechelic acrylic oligomers by the ozonolysis of acrylic/diene co- and ter-polymers
Bogdan C. Simionescu, Silvia Ioan, Maria Bercea and Cristofor I. Simionescu	589	Unperturbed dimensions of high molecular weight polyacrylonitrile
C. I. Simionescu, G. David and F. Săndescu	593	Kinetic aspects of the polymerization of 2-substituted 2-oxazolines in the presence of electron-acceptors
Kiyoshi Endo and Takayuki Otsu	597	Monomer-isomerization polymerization—XXXI. Monomer-isomerization polymerization of allyl 2,6-dimethylphenyl ether with cationic catalyst
J. C. Bevington, D. A. Cywar, T. N. Huckerby, R. A. Lyons, E. Senogles and D. A. Tirrell	603	The reactions of butadiene with the 1-cyano-1-methylethyl and 1-phenylethyl radicals
Shaun M. Barrett, Peter M. Budd and Colin Price	609	The synthesis and characterization of imogolite
Rafael Gavara, Agustín Campos and Juan E. Figueruelo	613	A comparative study on K_θ evaluation from $[\eta]$–M data in single and mixed solvents through various excluded volume theories
U. Müller, H.-J. Timpe and J. Neuenfeld	621	Photocrosslinking of silicones—5. Photo-induced polymerization of silicone with pendant acrylate groups in the presence of oxygen
L. J. Francisca Mary and A. Venkata Rami Reddy	627	Synthesis, characterization and thermal properties of copolymers of 3-hydroxy-4-acetylphenyl methacrylate with methyl acrylate
Narcisse Siampiringue, Jean-Paul Leca et Jacques Lemaire	633	Mécanismes de photo-oxydation du poly(méthacrylate de méthyle)
V. Baranovsky, S. Shenkov, I. Rashkov and G. Borisov	643	Nonspecific interactions in polymer–polymer reactions—2. Complex formation between polymethacrylic acid and monosubstituted poly(ethylene glycols)
A. D. Jenkins	649	Enolate ions and the initiation of "group-transfer" polymerization
H. Catalgil and A. D. Jenkins	651	"Group-transfer" copolymerization
J. Kuczynski et E. Papirer	653	Energie de surface et propriétés acido–basiques de surface des oxydes de zinc et de magnésium
Jean-Pierre Fouassier et Dominique Burr	657	Interactions entre thioxanthones et morpholino cétones; effets de synergie dans les réactions de photopolymérisations
J. R. Allan, B. R. Carson, K. Turvey, J. Birnie and D. L. Gerrard	665	Preparation, structural characterization and electrical properties of zinc chloride complexes of 4-vinylpyridine and poly(4-vinylpyridine)
J. R. Allan, A. Renton, W. E. Smith, D. L. Gerrard and J. Birnie	669	A study of the performance of bis(acetylsalicylate) copper(II) and the cobalt(II), nickel(II) and copper(II) complexes of pyridine-3,4-dicarboxylic acid as colouring materials for poly(vinyl chloride) and polystyrene
Hardy Reuter, Iliyana V. Berlinova, Siegfried Höring and Joachim Ulbricht	673	The anionic block copolymerization of ethylene oxide with tert-butyl methacrylate. Diblock and multiblock copolymers

Contents

Barbara Ostrowska-Gumkowska and Jadwiga Ostrowska-Czubenko — 681 Effect of comonomer content on thermal degradation of anionically modified poly(ethylene terephthalate)

Konrad Witkowski and Leszek Woliński — 687 Interactions in solutions of liquid-crystalline polymers—2. Experimental evidence for intermacromolecular aggregation

L. Abdellah, B. Boutevin et B. Youssef — 695 Synthèse d'oligomères de polydiméthylsiloxane réticulables—partie I. Introduction de groupements acryliques sur des polydiméthylsiloxanes possédant des groupements 3-hydroxypropyle

S. I. Kuzina, S. V. Stovbun, A. G. Salina, V. A. Kochukov, N. Ya. Kuznetsova and A. I. Mikhailov — 703 Effect of γ-rays on the properties of the cellulose nitrate detector

P. Brūzga, J. V. Gražulevičius and R. Kavaliūnas — 707 Cationic polymerization of 1,2-epoxy-6-(9-carbazolyl)-4-oxahexane

Marica Opalički and Helena J. Mencer — 713 Viscometric behaviour of dilute solutions of copolymers of *ortho*- and *para*-halogenated styrene

Heikki Tenhu and Kari Vaahtera — 717 Phase separation in polystyrene crosslinked with samples of poly(dimethyl siloxane) of various chain length

Ye Yongcheng, F. P. La Mantia, A. Valenza, V. Città, U. Pedretti and A. Roggero — 723 Characterization of blends of polypropylene with a semirigid liquid-crystal copolyester

J. Foks, H. Janik and M. Pohl — 729 Ruthenium tetroxide staining of semicrystalline polyester polyurethane films

Braja K. Mandal, Y. M. Chen, R. J. Jeng, Toru Takahashi, J. C. Huang, Jayant Kumar and Sukant Tripathy — 735 Thin film processing of NLO materials—I. Studies on relaxation behaviour of corona poled aromatic dipolar molecules in a polymer matrix

NUMBER 8

Jadwiga Matuszewska-Czerwik and Stefan Połowiński — 743 Template photopolymerization of methacrylic acid—III. Determination of the rate constants ratio k_t/k_p for elementary processes

Gilbert Friedmann and Nicolas Brosse — 747 Stereospecific emulsion polymerization of 2-phenyl-1,3-butadiene

María-Pia Calcagno, Francisco López, Jesús M. Contreras, Marvelis Ramírez and Franco M. Rabagliati — 751 Propylene oxide polymerization by diphenylzinc–ketone systems at 60°

J. McMahon and C. Price — 761 Scanning electron microscopy of copolymer micelles

D. J. T. Hill, A. P. Lang and J. H. O'Donnell — 765 The study of the copolymerization of styrene and acrylonitrile to high conversion. Application of low conversion reactivity ratios

G. G. Cameron, E. Ross, I. S. Miles, J. Richardson and D. Bye — 773 Spin-label study of immiscible polymers—1. Interfacial tension between polystyrene and polyisoprene

Baki Hazer — 775 Synthesis of tetrahydrofuran–styrene (or methyl methacrylate) block copolymers via cationic-to-radical transformation

Contents

F. Vigo, C. Uliana and M. Traverso — 779 Poly(vinyl chloride) ultrafiltration membranes modified by glow discharge grafting of poly(acrylic acid)

R. Harry Cragg, Richard G. Jones and Anthony C. Swain — 785 The synthesis, characterization and cationic cyclopolymerization of diallylsilanes

N. S. Allen, E. Haque, E. M. Howells, K. Kikkawa and M. Minagawa — 789 Synthesis and thermal and photo-oxidative behaviour of novel aminated 2-hydroxybenzophenone stabilizers in polyolefin films

Giovanni C. Alfonso, Vinicio Chiappa, Jingjiang Liu and Emmanuel R. Sadiku — 795 Crystallization of poly(aryl-ether-ether-ketone)s blends

J. M. Gadgil, U. V. Nayak, C. R. Rajan, G. D. Shahapure and S. Ponrathnam — 803 Anomalous behaviour in copolymerizations in aqueous medium: copolymerization of acrolein with acrylic acid

B. C. Stojčeva Radovanović — 807 Preparation and thermal behaviour of some polycondensates

K. Sreenivasan — 811 Effect of the type of polyol on the soft segment crystallinity in polyurethane based on methylene bis(cyclohexyl diisocyanate)

Bernard Boutevin, Yves Pietrasanta et Jean-Jacques Robin — 815 Synthèse et application de copolymères greffés a base de polyfluorure de vinylidène—I

L. Abdellah, Bernard Boutevin et B. Youssef — 821 Synthèses et applications de poly(diméthylsiloxanes) photoréticulables—II. Synthèse de polysiloxanes a greffons uréthannes acrylates

D. N. Taveira Magalhães, O. Do Coutto Filho and F. M. B. Coutinho — 827 Ziegler–Natta catalyst for ethylene and propylene polymerization supported on adducts of magnesium chloride with methyl and ethyl alcohols

M. K. Neo, S. Y. Lee and S. H. Goh — 831 Miscibility of poly(2-chloroethyl methacrylate) with poly(styrene-co-acrylonitrile) and poly(*p*-methylstyrene-co-acrylonitrile)

H. Hartung, A. Simon and D. Stadermann — 837 Butene-1 polymerization of a C_4 fraction by a supported Ziegler–Natta catalyst

E. Borsig, Z. Hloušková, F. Szöcs, Ľ. Hrčková and O. Vogl — 841 Reactivity of 2(2-hydroxy-5-vinylphenyl)2H-benzotriazole–methyl methacrylate copolymer towards alkyl and peroxy radicals in the solid state

A. Sabbahi and J. M. Vergnaud — 845 Absorption of water at 100°C by polyurethane foam

NUMBER 9

Takao Iijima, Masao Tomoi, Akio Suzuki and Hiroshi Kakiuchi — 851 Toughening of epoxy resins by modification with reactive elastomers composed of butyl acrylate and glycidyl (meth)acrylate

John A. Mikroyannidis — 859 Synthesis and curing of thermally stable polyamides bearing enamino nitrile units

Kerr H. Matthews and Richard A. Pethrick — 867 Model studies on the cure of a polyurethane elastomer—kinetics and physical properties

Malcolm B. Huglin — 875 Comments on chain length distribution in linear step growth oligomers

Contents

G. Geuskens and M. N. Kanda	877	Surface modification of polymers—I. Grafting initiated by photo-generated hydroperoxides
C. Decker et K. Moussa	881	Photopolymérisation de monomères multifonctionnels—V. Résines polyuréthannes-acrylates
Jifeng Ding, Colin Price and Colin Booth	891	Use of crown ether in the anionic polymerization of propylene oxide—1. Rate of polymerization
Jifeng Ding, Frank Heatley, Colin Price and Colin Booth	895	Use of crown ether in the anionic polymerization of propylene oxide—2. Molecular weight and molecular weight distribution
Jifeng Ding, David Attwood, Colin Price and Colin Booth	901	Use of crown ether in the anionic polymerization of propylene oxide—3. Preparation and micellization of diblock-copoly(oxypropylene/oxyethylene)
J. R. Allan, G. H. W. Milburn, F. Richmond, D. L. Gerrard, J. Birnie and A. S. Wilson	907	The cobalt(II), nickel(II) and copper(II) complexes of 4-(2-aminoethyl)pyridine, *p*-phenetidine and *N,N'*-dimethylethanolamine and a study of their performance as colouring materials for poly(vinyl chloride)
Bruno Lucas, André Moliton et Bernard François	911	Etude de la conductivité alternative superficielle de films implantés de poly*para*phénylène obtenus à partir d'un copolymère séquencé
M. K. Neo and S. H. Goh	915	Miscibility of poly(2-bromoethyl methacrylate) with poly(styrene-co-acrylonitrile) and poly(*p*-methylstyrene-co-acrylonitrile)
S. H. Goh, K. S. Siow and S. Y. Lee	921	Miscibility of polymethacrylates with poly(*p*-methylstyrene-co-acrylonitrile)
M. K. Neo and S. H. Goh	927	Miscible blends of poly(chloromethyl methacrylate) and poly(2-chloroethyl methacrylate) with poly(ϵ-caprolactone)
K. H. van Streun, W. J. Belt, Pieter Piet and Anton L. German	931	Synthesis, purification and characterization of cationic latices produced by the emulsion copolymerization of styrene with 3-(methacrylamidinopropyl)trimethylammonium chloride
Fred Twigt, Pieter Piet and Anton L. German	939	Preparation and co-catalytic properties of functionalized latices
Stanisław Rabiej	947	A comparison of two X-ray diffraction procedures for crystallinity determination
Duygu Kısakürek and Semih Yiğit	955	Polymerization of bis(4-bromo-2,6-dichlorophenoxo) ethylenediamine copper(II) complex by electro-initiation
A. Holländer, H. Zimmermann and J. Behnisch	959	Chemical dehydrochlorination of poly(vinyl chloride). Dehydrochlorination by alkali alkoxides
J. I. Eguiazábal, J. J. del Val, M. Cortázar and J. J. Iruin	965	Solution crystallization and annealing of polyarylate
F. M. Aliev and V. N. Zgonnik	969	Thermo-optics and thermal stability of poly(alkyl methacrylates) in porous matrices
Baki Hazer	975	Synthesis of styrene–tetrahydrofuran branched block copolymers

B. Srinivasulu, P. Raghunath Rao, E. V. Sundaram, M. Srinivas and Lalitha Sirdeshmukh	979	Reactivity ratios and thermal and dielectric studies of copolymers of acrylamide with butyl methacrylate
Mo Song and Fujin Long	983	Miscibility in blends of poly(vinyl acetate) with poly(methyl methacrylate) studied by FTIR and DSC
F. M. B. Coutinho and L. C. Santa Maria	987	Influence of internal and external electron-donors on the activity and stereospecificity of Ziegler–Natta catalysts
D. Ruhlmann et J. P. Fouassier	991	Relations structure–propriétes dans les photo-amorceurs de polymérisation—1. Dérivés de benzophénone
Masaru Yoshida, Jae-Seung Yang, Minoru Kumakura, Miyuki Hagiwara and Ryoichi Katakai	997	Artificially intelligent hydrogels: responding to external stimuli such as temperature and pH
Corrigendum	1007	

NUMBER 10

K. G. Chorbadjiev and P. Ch. Novakov	1009	Study of the thermal degradation of poly(alkyl α-cyanoacrylate)s
P. Kannan and K. Kishore	1017	New flame retardant polyarylazo phosphate and phosphoramide esters
Salah E. M. El-Begawy and Malcolm B. Huglin	1023	Polymer–polymer miscibility during copolymerization
Bernard Boutevin, Jean-Pierre Parisi et Philippe Vaneeckhoutte	1029	Cinétique de cotélomérisation—III. Etude statistique de la cotélomérisation
J. R. Allan and N. Binnie	1035	The cobalt(II), nickel(II), copper(II) complexes of α-naphthyl red and a study of their performance as colouring materials for poly(vinyl chloride)
Hans R. Kricheldorf and Jochen Meier-Haack	1039	Polymers of carbonic acid—7. Synthesis and characterization of aliphatic polyallophanates
Vladimir Baranovsky, Tsvetanka Petrova and Iliya Rashkov	1045	Nonspecific interactions in polymer–polymer reactions—3. Complex formation between polycarboxylic acids and 2-acetoxybenzoate derivatives of poly(ethylene glycol)s
J. V. Zanchetta, J. Balou, J. C. Giuntini et M. J. M. Abadie	1049	Influence de la morphologie de films de polyacétylène sur les propriétés de transport électrique
F. C. Loh, K. L. Tan and E. T. Kang	1055	XPS studies of charge transfer interactions in some poly(*N*-vinylcarbazole)/acceptor complexes
Tinku Bhattacharyya and S. K. De	1065	Self-vulcanizable rubber blend system based on chlorobutyl rubber and carboxylated nitrile rubber
John A. Mikroyannidis	1069	Polystyrylpyridine bearing pendant maleimide groups
Ivan Kminek, Eduard Brynda and Wolfram Schnabel	1073	Modification of poly(methyl phenylsilane) by the attachment of π-conjugated substituents. Synthesis and photochemical studies

Contents

Jian-Zhong Yang and Takayuki Otsu	1081	Reactivities of citraconic anhydride, *N*-alkylcitraconimides, dialkyl citraconates and dialkyl mesaconates in radical copolymerization with vinyl acetate and characterization of the resulting copolymers
T. Sato, I. Kamiya, H. Tanaka and T. Ota	1087	Radical polymerization of ethyl α-benzoyloxymethylacrylate in benzene
D. N. Taveira Magalhães, O. Do Coutto Filho and F. M. B. Coutinho	1093	Ziegler–Natta catalysts for ethylene and propylene polymerizations supported on the products of thermal desolvation of the adducts of magnesium chloride with methyl and ethyl alcohols
A. A. Dadali, I. I. Barashkova, I. P. Lastenko and A. M. Wasserman	1097	Effect of pressure on the rotational mobility of spin label in polymer
B. Pucci, J. C. Maurizis et A. A. Pavia	1101	Télomères et cotelomères d'interet biologique et biomedical—IV. Les télomères du Tris(hydroxymethyl)-acrylamidomethane nouveaux agents amphiphiles non ioniques
Andrzej Orzeszko and Wanda Kosińska-Bańbuła	1107	The isoimide–imide rearrangement in polypyromellitimides
John Scheirs, Stephen W. Bigger and Oskar Delatycki	1111	Comparative study of the structural, morphological and oxidative characteristics of high-density polyethylene and poly(ethylene oxide)
R. G. Raj and B. V. Kokta	1121	The effect of processing conditions and binding material on the mechanical properties of bagasse fibre composites
D. Derouet et J. C. Brosse	1125	Modification chimique des polydiènes par les composés du type CX_3Z—VI. Addition catalysée par le dichlorure de tris(triphénylphosphine)ruthénium II, du tétrachlorométhane sur le polybutadiène-1,4 et ses modèles
Kenji Kamide, Shigenobu Matsuda and Hironobu Shirataki	1141	Stability conditions of two-phase equilibria of quasi-binary systems consisting of multicomponent polymers dissolved in a single solvent
Reiko Saito, Hidefumi Kotsubo and Koji Ishizu	1153	Core-shell type polymer microspheres prepared from poly(styrene-b-methacrylic acid)—1. Synthesis of microgel
Announcement	i	

NUMBER 11

F. M. B. Coutinho and J. C. A. Martins	1161	A study on dodecyl poly(ethylene oxide)–ceric ion initiated emulsion polymerization of styrene in strongly acid medium
B. L. Rivas, K. E. Geckeler and E. Bayer	1165	Synthesis and characterization of poly[1-(2-hydroxyethyl) aziridine]
E. Bourret, C. Rueda-Rodriguez et L. Bardet	1171	Polymérisation de l'acide silicique—I. Etude rhéologique
Zhao-Xia Guo and Alessandro Gandini	1177	Polyesters from lignin—2. The copolyesterification of kraft lignin and polyethylene glycols with dicarboxylic acid chlorides

Contents

G. G. Cameron, M. Y. Qureshi, E. Ross, I. S. Miles and J. Richardson	1181	Spin-label study of immiscible polymers—II. Influence of polyisoprene on end-labelled polystyrene
D. Messadi, N. Fertikh et A. E. H. Gheid	1187	Etude des échanges entre un non solvant et un plastifiant dispersé dans un disque plastique
H. Džudžević, V. Vlachy and D. Bratko	1195	Effect of temperature on electrical transport and ion binding in poly(styrenesulphonate) solutions
Marie-Florence Grenier-Loustalot, Marie-Pierre Bente et Philippe Grenier	1201	Réactivité du dicyandiamide vis à vis des groupements *O* et *N*-époxyde—1. Mécanisme réactionnel
Maria Telma Gomes Freire-Schanz, Louis Danicher, Tha Pith et Morand Lambla	1217	Homopolymérisation et copolymérisation en émulsion de l'acrylate de 2-hydroxyéthyloxazolidone et de l'acrylate de *N*-hydroxyéthyl-carbamate d'isopropyle avec le styrène et l'acrylate de méthyle: caractérisation des latex et des copolymères obtenus
Lj. Ilić, K. Jeremić and S. Jovanović	1227	Kinetics of pullulan depolymerization in hydrochloric acid
Takao Iijima, Toshihiro Horiba and Masao Tomoi	1231	Toughening of epoxy resins by modification with reactive elastomers composed of butyl acrylate, glycidyl methacrylate and acrylonitrile or styrene
J. C. Bevington, B. F. Bowden, D. A. Cywar, R. A. Lyons, E. Senogles and D. A. Tirrell	1239	Reactivities of conjugated dienes towards the 1-cyano-1-methylethyl and 1-phenylethyl radicals
C. Decker, K. Moussa et H. Le Xuan	1251	Photopolymérisation de monomères multifonctionnels—VI. Influence de photostabilisants
G. Geuskens, E. De Kezel, S. Blacher and F. Brouers	1261	The electrical conductivity of polymer blends filled with carbon black—II
Z. Vymazal and Z. Vymazalová	1265	Photodegradation of PVC stabilized by organotin compounds
Abdennbi Lekchiri, Azelio Castellano, Joëlle Morcellet and Michel Morcellet	1271	Copper complexes and catalase-like activity of a polyelectrolyte derived from aspartic acid
William E. Douglas and Andrew S. Overend	1279	Curing reactions in acetylene terminated resins—I. Uncatalyzed cure of arylpropargyl ether terminated monomers
C. H. Bamford	1289	Non-steady states in free radical polymerizations with size-dependent termination: a study using the group-termination coefficient procedure
C. Le Déoré, T. Hamaide, P. Masson and B. Gallot	1297	Synthesis of poly(ethylene oxide–diene–ethylene oxide) triblock copolymers. Characterization and use as solid polymer electrolytes
H. S. O. Chan, S. C. Ng, T. S. A. Hor, J. Sun, K. L. Tan and B. T. G. Tan	1303	Poly(*m*-phenylenediamine): synthesis and characterization by X-ray photoelectron spectroscopy
Erratum	1309	

NUMBER 12

El-Sayed M. E. Mansour, Sherif H. Kandil, Hoda A. El-Wakil and Mohamed E. M. Soliman	1311	Synthesis and investigation of some new nitropolyarylates containing ether bonds in the monomer unit

Contents

Surendra N. Mishra, Subasini Lenka and Padma L. Nayak	1319	Graft copolymerization onto natural rubber—XI. Graft copolymerization of methyl methacrylate onto rubber using the hydrogen peroxide–sodium thiosulphate redox system
Achim Josef Müller, Helmut Keul and Hartwig Höcker	1323	Lithium and potassium alcoholates of poly(ethylene glycol)s as initiators for the anionic polymerization of 2,2-dimethyltrimethylene carbonate. Synthesis of AB and ABA block copolymers
G. K. Kostov and A. N. Atanassov	1331	Synthesis of hydrophilic ion-exchange fluoropolymers containing sulpho- and both sulpho- and carboxyl groups
Jadwiga Matuszewska-Czerwik and Stefan Połowiński	1335	Template photopolymerization of methacrylic acid in water—IV. Determination of rate constants of elementary processes
Hong-Quan Xie and Yan Liu	1339	Acrylic acid polymers with uniform polystyrene side-chains and their intermolecular complexes used as a chemical valve
Xiaochang Li, Yangsheng Jiao and Shijin Li	1345	The syntheses, properties and application of new conducting polymers
Xiaochang Li, Yangsheng Jiao and Shijin Li	1353	A study on the conducting complex of poly(Schiff base sulphide)/iodine
B. Boyer, G. Lamaty, J. M. Moussamou-Missima, A. A. Pavia, B. Pucci et J. P. Roque	1359	Télomerès et cotelomerès d'intéret biologique et biolomédical—V. Propriétés solubilisantes des télomerès dérives du Tris(hydroxyméthyl) acrylamidométhane
N. S. Allen, M. Edge, S. Conway, D. A. Doyle, E. M. Howells, K. Kikkawa, M. Minagawa and T. Sekiguichi	1365	Synthesis and thermal and photo-oxidative behaviour of novel 4-substituted alicclic amino-2-hydroxybenzophenone stabilizers in polypropylene films
Norman S. Allen, Michael Edge and Mehrdad Mohammadian	1373	Hydrolytic degradation of poly(ethylene terephthalate): importance of chain scission versus crystallinity
S. Y. Lee, M. Y. Low and S. H. Goh	1379	Miscibility of poly(*N*-vinyl-2-pyrrolidone) with (methyl methacrylate)/(2-hydroxyethyl methacrylate) and (n-butyl methacrylate)/(2-hydroxyethyl methacrylate) copolymers
R. Oueslati et S. Roudesli	1383	Etude par RPE de la décomposition thermique des péroxydes dans la fibre de polypropylène ozonisée en vue d'un greffage
Moriyuki Sato, Yoshifumi Manabe, Toshiharu Sasaki, Yushin Ohtomo and Fujio Komatsu	1391	Synthesis and thermal properties of novel thermotropic aromatic-aliphatic homo- and co-polyamides
Hans R. Kricheldorf and Dierk Lübbers	1397	Polyanhydrides 1. Synthesis of thermotropic poly(ester-anhydride)s from terephthalic acid and hydroxyacids by means of acetic anhydride
Yusuf Yagci and Selcuk Denizligil	1401	Functional polyamides—2. The use of multifunctional polyazoamide for the synthesis of block copolymers
Bilge Özden (Orhan), Jale Hacaloğlu and Güneri Akovalı	1405	A mass spectrometric study on plasma reactions of styrene and methyl methacrylate

Contents

Juozas Vidas Gražulevičius and Rimantas Kublickas	1411	Polymerization of carbazolyl-containing epoxides by activated monomer mechanism
Akira Matsumoto, Eiji Nishi, Masayoshi Oiwa and Jun-ichi Ikeda	1417	Steric control of gelation in monovinyl–multivinyl polymerization leading to preparation of self-crosslinkable polymer having pendant vinyl groups
N. Tlemçani, J. Arman et Ph. Monge	1421	Etude ultrasonore de mélanges de polyéthylène et de polystyrène. Corrélation avec la microstructure
S. Laoubi and J. M. Vergnaud	1425	Effect of temperature on the transfer between epoxy coatings and water
K. Azaar, A. El Brouzi, R. Granger and J. M. Vergnaud	1431	Process of cure of a maleic polyester resin. Modelling and experiments with thin slab in metal mould
S. Laoubi, J. Bouzon and J. M. Vergnaud	1437	Modelling the process of absorption of toluene by coatings made of epoxy resin
A. Ait Ben Aoumar, F. Schué, J. Sledz, M. Zinoune, A. El Harfi, A. Orsetti et G. Paleirac	1443	Synthése et caractérisation hydrodynamique d'une nouvelle génération de membranes d'ultrafiltration à base de polymères bactériens